



中国国家强制性产品认证证书

证书编号：2019011002180489

委托人名称、地址

威森电子（珠海）有限公司
广东省珠海市金湾区三灶镇阳春路3号

生产者（制造商）名称、地址

威森电子（珠海）有限公司
广东省珠海市金湾区三灶镇阳春路3号

生产企业名称、地址

威森电子（珠海）有限公司
广东省珠海市金湾区三灶镇阳春路3号

产品名称和系列、规格、型号

LED 模块用交流电子控制装置（LED 控制装置，不可调光，内装式，恒流模式，SELV， $t_a:50^{\circ}\text{C}$ ， $t_c:90^{\circ}\text{C}$ ，定温热保护： 110°C ）

见附件。220-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求，特发此证。

发证日期：2019年04月29日 有效期至：2024年04月29日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任：

陆楠



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2019011002180489

NAME AND ADDRESS OF THE APPLICANT

WEISEN ELECTRONICS CO,LTD
No.3, YangChun Road, Sanzao Town, Jinwan District, Zhuhai City , Guangdong Province

NAME AND ADDRESS OF THE MANUFACTURER

WEISEN ELECTRONICS CO,LTD
No.3, YangChun Road, Sanzao Town, Jinwan District, Zhuhai City , Guangdong Province

NAME AND ADDRESS OF THE FACTORY

WEISEN ELECTRONICS CO,LTD
No.3, YangChun Road, Sanzao Town, Jinwan District, Zhuhai City , Guangdong Province

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Not Dimming, Built-in, Constant Current Mode, SELV, ta:50°C , tc:90°C , ,Temperature Declared Thermally Protected:110°C)

See Appendix. 220-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Apr.29,2019

Valid until: Apr.29,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号：2019011002180489

纸 号：2281945

型号	规格参数		
	输出电压 (Vdc)	输出电流 (A)	输出功率 (W)
G5S40W1050LRP	30-40VDC Max. 53VDC	1050mA	31.5-42W
G5S40W900LRP	30-42VDC Max. 53VDC	900mA	27-38W
G5S40W800LRP	30-42VDC Max. 53VDC	800mA	24-33.5W
G5S40W700LRP	30-42VDC Max. 53VDC	700mA	21-29.5W

输入：220-240V~ 50/60Hz

注：此附录与证书同时使用时有效。



主 任： 陆 楠



中国质量认证中心